

Navajo Abandoned Uranium Mine

Site Screen Report

This form is for use at the site of abandoned uranium mines (AUM) located on Navajo Nation lands. Applicable sites include all mine and mine features that have or have not undergone reclamation by the Navajo Abandoned Mine Lands Reclamation Program, including features, adits, pits and waste piles. Applicable sites also include all AUM sites listed in the USEPA CERCLIS database, all sites listed in the 2008 AUM GIS Report issued by USACOE and USEPA, all AUM sites on allotment lands associated with the Navajo Nation, and any and all AUM sites not listed in any database located on Navajo lands. Reconnaissance of any sites located on lands adjacent to Navajo lands that may be impacting Navajo lands will need to be coordinated with the authorities appropriate to those lands.

The purpose of the form is to ascertain the status and location of the identified AUM site, and record all immediate site information associated with the mine site. Decisions and recommendations on what additional steps are needed will be provided on a separate document.

Camp Mine AUM Site

Navajo AUM Northern Region

Prepared by:

Weston Solutions, Inc.

Contract: W91238-06-F-0083

12767.063.496.1111

March 2010

Part I Site Identification, Location and Status**Site Names and ID numbers as applicable****Mine ID:** 208**Map ID:** N261**CERCLIS:** NNN000908867**Navajo Abandoned Mine Land Reclamation Program:** NA-0325**Local name / Aliases:** None**Chapter and local area:** Round Rock Chapter**County:** Apache**State:** Arizona**Lat/Long:** 36.4894108214 N / -109.222574709 W**Nearby road and highway:** Indian Route 33**Local Post Office:** Lukachukai, AZ**Surface Land Status: check one or more and provide ownership and contact information below**

Tribal Trust Land ☒
Private ☐
Bureau of Land Mgmt ☐
State ☐

Public lands ☐
Tribal Fee Land ☐
Allotment ☐
Fee land ☐

Subsurface Mineral Rights:

No information on subsurface mineral rights ownership was found in the EPA/AUM Database.

Claim and operator information:

The mine site surface land status is classified as Tribal Trust Land. Historical documents showed the operator of the mine as Walter Duncan from 1953 to 1956, and Robert Goode from 1962 to 1963. No other historical ownership / lease information was identified in the EPA/AUM database.

Number of residential structures within 200 feet of mine:

None

Estimated volume of mine waste onsite:

None

Part II Summary of radiological readings

Highest gamma radiation measurement:

786,144 counts per minute (cpm)

Describe any other radiological measurements:

A total of 2,462 gamma radiation measurements were collected from the mine site, ranging from 7,410 cpm to 786,144 cpm. Measurements in an area 0.2 miles west of the site found elevated levels of over 750,000 cpm. The measurements are represented in Figures 1 and 2.

Background Locations


#1 8,254 cpm

#2 13,404 cpm

Average background = 10,829 cpm

Distribution Chart and Statistics:

The following chart and statistics were generated by ESRI ArcGIS 9.3.1, and show the general distribution of the site gamma radiation measurements. The horizontal X axis represents the gamma radiation reading levels in cpm (lowest levels to the left). The vertical Y axis represents the frequency of each gamma radiation level.



Count:	2462
Minimum:	7410.00000
Maximum:	786144.00000
Sum:	66255265.00000
Mean:	26911.15556
Median:	12661.00000
Standard Deviation:	77219.30421

Part III Status of Reclamation and Mine Waste

The following information was obtained from the Navajo Abandoned Mine Land Reclamation Program (NAMLRP) Point Features Database:

NAMLRP Status of the mine site: Reclaimed : Yes Waste Pile onsite : No

NAMLRP Project Number: NA-0325

NAMLRP Mine features: 2 Portals, 1 Prospect

The following information was obtained from field observations collected during the 2009 site screening:

Provide description and status of all mine sites and features at site. Include all waste piles, adits, pits and other features, and indicate whether they are open, closed, covered, capped, buried or unreclaimed. Indicate approximate size, shape and extent, including description of any reclamation caps. Note condition of all caps.

Observed reclamation work and status:

Adits

None.

Waste Piles

None.

Pits

None

Shafts

None

Other Debris and Mine Features

Camp Mine is a sample reclamation project; bench was backfilled using native, soil erosion protected, seedlings planted in 8 cages, clay covering where adit should be, net soil cover, rip rap liner, and silt buffers. An area with elevated readings above 750,000 cpm was encountered approximately 0.2 miles west of the site.

Part IV

Site observations and Environs

Observed Structures: list number of and describe human habitation status of structures at the following distances from mine:

0 to 200 feet: None

200 feet to 0.25 mile: None

Observed Public or commercial structure: list and describe all schools, clinics, Chapter Houses, places of business and any other structure used by members of the community at the following distances:

0 to 200 feet: None

200 feet to 0.25 mile: None

Levels measured around the perimeter(s) of the identified structure(s):

None

Observed water sources: list the number and type of wells and surface water sources that are potentially used for human consumption at the following distances from the mine:

0 to 0.25 miles: None

0.25 miles to 4 miles: None

Sensitive environments: note and describe all sensitive environments located within visible range of the mine site, including: wetlands, endangered species, habitats and approximate locations of sites that may be under protection of the government of the Navajo Nation.

None observed

Known Site History: include information from interviews with Chapter officials and residents. Note information on mine ownership, type of mining operation, period of operation, known amount of production, and any other information as provided.

Camp Mine consists of an area of 6,762.59 m². The mine was identified as being operational from 1953 to 1963. Historical documents showed the operator of the mine as Walter Duncan from 1953 to 1956, and Robert Goode from 1962 to 1963. While operational, the mine had a total reported production volume of 18,853 tons. No other historical information or any additional ownership / lease information was identified in the EPA/AUM database.

Part V Response Action Summary

Site Name(s): Camp Mine **Chapter:** Round Rock

Decision Criteria

Is there an unreclaimed waste pile at the site? No

At what distance from the waste pile is the nearest residential structure located? None

At what distances from the waste pile are there potential drinking water sources? None

Is there a reclamation cap or sealed adit in place at the site? Yes

Is the cap/seal functionally intact? Yes

Is the cap/seal sufficiently degraded to create a concern about releases? No

At what distance from the cap/seal is the nearest domestic structure located? None

At what distance from the cap/seal is the nearest domestic drinking water source? None

Summary of emergency response factors

None

Summary hazard ranking system factors

None

Summary of reclamation factors

Camp Mine is a sample reclamation project; bench was backfilled using native, soil erosion protected, seedlings planted in 8 cages, clay covering where adit should be, net soil cover, rip rap liner, and silt buffers. An area with elevated readings above 750,000 cpm was encountered approximately 0.2 miles west of the site.

Part VI Photos



Photo 1. Mine site



Photo 2. Rip-rap barriers to curb erosion



Photo 3. Onsite reclamation



Photo 4. Steel cage protecting saplings



Photo 5. Mine site



Photo 6. Area of elevated reading 0.2 miles west of site.

Part VII Contacts Reports and InformationName: Stanley Edison (928) 871-6861Eugene Esplain (928) 871-7331Title or official role (if any) Navajo EPA Superfund ProgramAddress PO Box 2946, Window Rock, AZ 86515Information provided Lead Regulatory Agency

Name: Gilbert Daisy.Title or official role (if any) Navajo Abandoned Mine Lands Reclamation ProgramAddress PO Box 1875, Window Rock, AZ 86515Telephone number : (928) 871-6982Information provided: Reclamation lead at Camp Mine site

Name_____

Title or official role (if any) _____

Telephone number_____

Information provided_____


Name_____

Title or official role (if any) _____

Telephone number_____

Information provided_____

**Figure 1 - Gamma Radiation Measurements, Above Two Times Background
Camp Mine (208)
Round Rock Chapter, Navajo Nation, Arizona**



Legend

Gamma Radiation Measurements

- < 2X Background
- > 2X Background

Gamma survey conducted 10/2009
Measured as counts per minute (cpm)

Average background = 10,829 cpm



Observed Reclamation Cap



General Direction Down-Slope



Mine Claim Boundaries




0 250 Feet



WESTON
SOLUTIONS

**Figure 2 - Gamma Radiation Measurements
Camp Mine (208)
Round Rock Chapter, Navajo Nation, Arizona**



Legend

Gamma Radiation Measurements

- 0 - 10,000
- 10,000 - 15,000
- 15,000 - 20,000
- 20,000 - 50,000
- 50,000 - 100,000
- > 100,000



Observed Reclamation Cap



General Direction Down-Slope



Mine Claim Boundaries

**Gamma survey conducted 10/2009
Measured as counts per minute (cpm)**

Average background = 10,829 cpm

